



TRELLIDOR ROLLER SHUTTERS

RESIDENTIAL ROLLERSTYLE RANGE

Lock Out The Worry.

Supreme strength with advanced attack resistant features.

TRELLIDOR[®]
THE ULTIMATE CRIME BARRIER

Custom-made security solutions that protect people and property.

TRELLIDOR ROLLER SHUTTERS

RESIDENTIAL ROLLERSTYLE RANGE

Trellidor Rollerstyle® motorised roller shutters are manufactured in a range of strengths to secure doors and windows against crime. Made from architectural grade aluminium, the various models are specified depending on the risk profile of the location.

ROLLERSTYLE® RS40

Single walled roller shutter.

A single layer of interlocking curtain slats measuring 40mm in height. The curtain can be made up of solid slats, slats with punched cut-outs, or a combination of these two options.

Why choose Trellidor Rollerstyle® RS40

1 Multi-Purpose Solution

A cost-effective solution to intruder protection, internal climate control, noise insulation and creating privacy.

2 Easy to Use

Motorised and operated using a hand-held remote-control device or a wall mounted control panel.



ROLLERSTYLE® RH40

Double walled roller shutter.

A double layer of interlocking curtain slats measuring 40mm in height. The curtain can be made up of solid slats, slats with vents only visible when the curtain is extended, or a combination of solid and vented slats.

Why choose Trellidor Rollerstyle® RH40

1 Double Protection

Two layers of slats provide additional strength under attack.

2 Modernised Security

Made from extruded aluminium for an updated security solution for doors, windows and safe zones.





ROLLERSTYLE® LDS40

Double walled Rollerstyle® LDS40 lockdown shutter.

The Rollerstyle® LDS40 curtain features solid slats and a non-interrupted surface that creates a formidable lockdown shutter. It is made up of 36mm horizontal slats that alternate with 7mm actuators using an integral interlocking hinge system.

Why choose Trellidor Rollerstyle® LDS40

1 Excellent Protection

Interlocking slats and actuators provide high level security, firmly locking down the shutter with any irregular vertical force such as a break-in attempt.

2 Easy to Use

Motorised and activated using a wall mounted mechanical switch, a remote-control hand-held device, or a key switch.

3 Streamlined Security

No bottom track required and the slim-line shutter curtain glides inside neat guide channels secured to the wall.

STANDARD FEATURES THAT SET TRELLIDOR ROLLER SHUTTERS APART

Custom-made to fit a wide range of openings including doors and windows.

Full architectural grade aluminium frame for strength and stability.

Fitted with tamper proof fixings and internal strengthening features.

Variety of motor options includes solar power, manual over-ride, and super-fast.

Selection of control devices such as wall mounted and hand-held transmitters.

Manual over-ride and obstacle detector available as accessories.


Compact shutter box can be recessed into ceiling in suitable locations.

Shutters protect against poor weather and provide thermal and acoustic insulation.

No tripping hazard as shutter lifts up and no bottom track is required.

Components treated before powder coating to prevent corrosion.

AVAILABLE CONFIGURATIONS



*These configurations are examples used for illustrative purposes only. The final design of each product will be dictated by site limitations, customer specifications, and location restrictions.

	MIN (W)	MAX (W)	MIN (H)	MAX (H)
ROLLERSTYLE® RS40	480	1800	600	4000
ROLLERSTYLE® RH40	480	4000	600	4000
ROLLERSTYLE® LDS40	875	2500	1200	3000

COMPARISON CHART

	ROLLERSTYLE® RS40	ROLLERSTYLE® RH40	ROLLERSTYLE® LDS40
SLAT MATERIAL	Single Wall Aluminium	Double Wall Aluminium	Double Wall Aluminium
SLAT SIZE	40mm wide x 1.2mm thick	40mm wide x 1.2mm thick	43mm wide x 1.0mm thick
SLAT WEIGHT	8.0kg/sqm	8.5kg/sqm	8.5kg/sqm
SLAT CONFIGURATION	Solid or Solid & Punched	Solid or Solid & Punched or Vented (width dependent)	Solid
ANTI-LIFT	No	No	Yes
GUIDE CHANNEL	Aluminium 60 x 22	Aluminium 60 x 22	Aluminium 82 x 30mm
BOX SIZE (HEIGHT DEPENDENT)	180 to 300mm	180 to 300mm	180 to 300mm
OPERATION	Motorised	Motorised	Motorised
MOTOR WARRANTY (INLAND/COASTAL)	5 years	5 years	5 years
MATERIAL WARRANTY (INLAND/COASTAL)	5 years	5 years	5 years
MATERIAL WARRANTY (INLAND/COASTAL)	3 years	3 years	3 years
COMPONENT WARRANTY (INLAND/COASTAL)	3 years	3 years	3 years
ELECTRICAL WARRANTY (INLAND/COASTAL)	1 year	1 year	1 year



WHY TRELLIDOR?



A BRAND YOU CAN TRUST

We were established in 1976 and have secured millions of doors, windows and other openings since our journey began.



CLOSE TO OUR CUSTOMERS

We have a large network of outlets so that we can provide customised products and expert personalised service with local knowledge.



INNOVATIVE PRODUCT RANGE

We're constantly updating our range to reflect current trends but continue to supply our old favourites that are trusted around the world.



PEACE OF MIND PROTECTION

We invest in international third-party testing and certification of our high-end designs to ensure that our entire range provides the best protection on offer.



DEPENDABLE PRODUCT WARRANTIES

Our warranties are not a sales gimmick. Not only are they internationally verified, they are realistic, reliable, responsible and reflect our confidence in our products.



LONG LASTING INVESTMENT

Our world-class anti-corrosion pretreatment and powder coating process creates a smooth, high-quality finish for a durable product with a long lifespan.

COLOURS

All Trellidor products come in 8 standard colours. Special colours are available on request, allowing you to choose a colour to best suit your decor or your corporate colours.

The Trellidor powder coating system includes a pre-treatment process that enhances our products' corrosion and UV resistance. The powder coating is ideal for coastal and inland conditions and increases the lifespan of the barrier by retaining its quality finish.

*Actual colours may vary slightly due to device settings, differences in printing substrates, or personal perceptions of colour.



WHITE



BRONZE



SAND



BEIGE GREY



ALUMINIUM



ANTHRACITE GREY



BLACK



STONE GREY

ADDRESS:

20 Aberdare Drive,
Phoenix Industrial Park,
Durban, South Africa.

CONTACT:

T: +27 (0) 861 873 554 367
E: info@trellidor.co.za
W: www.trellidor.co.za