

Senior Care Centre  
0800 726 7864

# TRELLIDOR ROLLER SHUTTERS

## COMMERCIAL ROLLERSTYLE RANGE

Lock Out The Worry.

Commercial security that takes care of business.

# TRELLIDOR ROLLER SHUTTERS

## COMMERCIAL ROLLERSTYLE RANGE

Trellidor Rollerstyle® motorised roller shutters are manufactured in a range of strengths to secure doors and windows against crime. Made from extruded aluminium with advanced attack resistant features, the various models are specified depending on the risk profile of the location.

### ROLLERSTYLE® RH55

#### Double walled roller shutter.

A double layer of interlocking curtain slats measuring 55mm in height. The curtain can be made up of solid or vented slats. The vents are only visible when the curtain is extended.

#### Why choose Trellidor Rollerstyle® RH55

- 1 Windlock Strength**  
Windlocks provide additional strength under attack and extreme weather conditions.
- 2 Double Protection**  
Two layers of slats provide additional strength under attack.
- 3 Proven Protection**  
Extensively attack tested to ensure these shutters meet the exceptional standards expected of a Trellidor security barrier.



### ROLLERSTYLE® SS76

#### Single walled steel roller shutter.

A single wall steel roller shutter with 72mm horizontal slats. There is a choice of solid, punched or perforated slats.

#### Why choose Trellidor Rollerstyle® SS76

- 1 Strengthening Features**  
Windlocks on the side of the curtain lock the slats in place to prevent the curtain pulling out during a breach attempt.
- 2 Easy to Use**  
A compact motor with a choice of wireless and hard-wired control methods drives the shutter.
- 3 Safety Elements**  
A safety break prevents uncontrolled dropping of the curtain. An optional key operated rim lock further secures the closed curtain as an additional safety measure.



# ROLLERSTYLE® LDS65 S1

LPCB LPS1175 SR1

The Rollerstyle® LDS65 S1 shutter has 55mm horizontal slats that alternate with 10mm actuators using an integral interlocking hinge system. In addition to the anti-lift technology, an end retention system, enhances the attack resistance of the shutter.

## Why choose Trellidor Rollerstyle® LDS65 S1

### 1 Anti Lift Protection

Designed for maximum security, featuring wider slats, actuators, and windlocks, ensuring advanced anti-lift protection that provides resistance to manual lifting without the need for physical locks.

### 2 Easy to Use

Motorised and activated using a wall mounted mechanical switch, a remote-control hand-held device, or a key switch.

### 3 Streamlined Security

No bottom track required and the shutter curtain travels inside guide channels fitted with tamper resistant fasteners.



ROLLERSTYLE® LDS65  
ANTI-LIFT



# ROLLERSTYLE® LDS65 S2

LPCB LPS 1175 SR2

The Rollerstyle® LDS65 S2 shutter is the strongest in the Rollerstyle range. In addition to the anti-lift and end retention systems, the double wall aluminium slats are reinforced with cut-resistant alloy to protect against angle grinder attacks.

## Why choose Trellidor Rollerstyle® LDS65 S2

### 1 Anti-cut

The double-wall aluminium slats are reinforced with a cut-resistant alloy to protect against angle grinder attacks.

### 2 Anti Lift Protection

Designed for maximum security, featuring wider slats, actuators, and windlocks, ensuring advanced anti-lift protection that provide resistance to manual lifting without the need for physical locks.

### 3 Streamlined Security

No bottom track required and the shutter curtain travels inside guide channels fitted with tamper resistant fasteners.



# STANDARD FEATURES THAT SET TRELLIDOR ROLLER SHUTTERS APART

---

Custom-made to fit a wide range of openings including doors and windows.

---

Selection of control devices such as wall mounted and hand-held transmitters.

---

Manual over-ride and obstacle detection available as accessories.

---

Compact shutter box can be recessed into ceiling in suitable locations.

---

Shutters protect against poor weather and provide thermal and acoustic insulation.

---

No tripping hazard as shutter lifts up and no bottom track is required.

---


Components treated before powder coating to prevent corrosion.

---


Warranty against defective workmanship, materials and corrosion.

---

## AVAILABLE CONFIGURATIONS



FIXED  
OPEN



FIXED  
CLOSED

\*These configurations are examples used for illustrative purposes only. The final design of each product will be dictated by site limitations, customer specifications, and location restrictions.

	MIN (W)	MAX (W)	MIN (H)	MAX (H)
<b>RH55</b>	1290	4500	1000	4000
<b>SS76</b>	1000	6000	1000	6000
<b>LDS65 S1</b>	1000	4500	1000	4200
<b>LDS65 S2</b>	1000	4500	1000	4200

# COMPARISON CHART

	RH55	SS76	LDS65 S1	LDS65 S2
<b>CERTIFIED RATING</b>	N/A	N/A	LPCB LPS1175 SR1	LPCB LPS1175 SR2
<b>SLAT MATERIAL</b>	Double Wall Aluminium	Single Wall Steel	Double Wall Aluminium	Double Wall Aluminium
<b>SLAT SIZE</b>	55mm wide x 1.5mm thick	76mm wide x 0.9 thick	65mm wide x 1.3mm thick	65mm wide x 1.3mm thick
<b>SLAT WEIGHT</b>	9.5kg/sqm	11kg/sqm	13kg/sqm	13kg/sqm
<b>SLAT CONFIGURATION</b>	Solid or Vented (width dependent)	Fenestra Punched or Perforated	Solid	Solid
<b>WINDLOCKS (CURTAIN SLAT ASSEMBLY)</b>	Yes	Yes	Yes	Yes
<b>GUIDE CHANNEL</b>	Aluminium 90 x 30mm	Aluminium 100 x 35mm	Aluminium 97 x 32mm	Aluminium 97 x 32mm
<b>BOX SIZE (HEIGHT DEPENDENT)</b>	250 to 300mm	350 to 400mm	250 to 300mm	250 to 300mm
<b>OPERATION</b>	Motorised	Motorised with 2-point manual locking	Motorised	Motorised
<b>ANTI-LIFT</b>	No	No	Yes	Yes
<b>ANTI-CUT ALLOY</b>	No	No	No	Yes
<b>MOTOR WARRANTY (COASTAL/ INLAND)</b>	5 years	5 years	5 years	5 years
<b>MATERIAL WARRANTY (INLAND)</b>	5 years	5 years	5 years	5 years
<b>MATERIAL WARRANTY (COASTAL)</b>	5 years	3 years	3 years	3 years
<b>COMPONENT WARRANTY (COASTAL/ INLAND)</b>	3 years	3 years	3 years	3 years
<b>ELECTRICAL WARRANTY (COASTAL/ INLAND)</b>	1 year	1 year	1 year	1 year

# WHY TRELLIDOR?



## A BRAND YOU CAN TRUST

We were established in 1976 and have secured millions of doors, windows and other openings since our journey began.



## CLOSE TO OUR CUSTOMERS

We have a large network of outlets so that we can provide customised products and expert personalised service with local knowledge.



## INNOVATIVE PRODUCT RANGE

We're constantly updating our range to reflect current trends but continue to supply our old favourites that are trusted around the world.



## PEACE OF MIND PROTECTION

We invest in international third-party testing and certification of our high-end designs to ensure that our entire range provides the best protection on offer.



## DEPENDABLE PRODUCT WARRANTIES

Our warranties are not a sales gimmick. Not only are they internationally verified, they are realistic, reliable, responsible and reflect our confidence in our products.



## LONG LASTING INVESTMENT

Our world-class anti-corrosion pretreatment and powder coating process creates a smooth, high-quality finish for a durable product with a long lifespan.

## COLOURS

All Trellidor products come in 8 standard colours. Special colours are available on request, allowing you to choose a colour to best suit your decor or your corporate colours.

The Trellidor powder coating system includes a pre-treatment process that enhances our products' corrosion and UV resistance. The powder coating is ideal for coastal and inland conditions and increases the lifespan of the barrier by retaining its quality finish.

\*Actual colours may vary slightly due to device settings, differences in printing substrates, or personal perceptions of colour.



WHITE



BRONZE



SAND



BEIGE GREY



ALUMINIUM



ANTHRACITE GREY



BLACK



STONE GREY

### ADDRESS:

20 Aberdare Drive,  
Phoenix Industrial Park,  
Durban, South Africa.

### CONTACT:

T: +27 (0) 861 873 554 367  
E: [info@trellidor.co.za](mailto:info@trellidor.co.za)  
W: [www.trellidor.co.za](http://www.trellidor.co.za)